

**HORMONES AND THEIR ANTAGONISTS. CONTRACEPTIVES DRUGS
AFFECTING THE TONUS AND CONTRACTIBILITY OF MYOMETRIUM.**

<i>Nr.</i>	<i>Drug's name</i>	<i>Medicinal forms</i>
	Part I	
1	Calcitonin	Powder 0,00025 and 0,0005 in amp.; Sol.in amp. 1 ml (50 and 100 IU); Nasal spray 50;100 and 200 IU
2	Corticotropin	Powder in vials. 10; 20; 30 and 40 AU (i/m); Gel for injection 400 IU/5ml(80IU/ml) i/m, s/c
3	Desmopressine	Tabl. 0,0001 and 0,0002 Sol. 0,002% and 0,004%-1 ml in amp.; Nazal Spray 0,01%-2,5/5 ml;
4	Chorionic Gonadotropine	Injectable sol. 0,05%-0,5ml Powder 500; 1000; 1500; 2000 and 10000 UA in vials
5	Levothyroxine	Tabl. 0,00005; 0,000075 and 0,0001
6	Liothironine	Tabl. 0,000005 and 0,00005 Sol.0,001%-2 ml in amp.; Powder 0,00002 in vials;
7	Insulin	Sol. 5 and 10 ml (40UA/ml) in vials
8	Metformin	Tabl. 0,5; 0,85 and 1,0
9	Glibenclamide	Tabl. 0,0025;0,0035; 0,0075 and 0,005
10	Glucagon	Powder 0,001 in vials.
11	Oxytocin	Sol. in amp. 1ml - 5AU/ml; 2ml -10 AU/ml Nasal spray 40IU; 50IU and 100IU/ml-10ml
12	Parathyroidine	Powder 0,000025 and 0,00005; 0,000075 and 0,0001 in amp.
13	Thiamazol	Tabl.0,005 and 0,01 Sol. 4%-1 ml in amp.;
	Partea II	
14	Dexamethasone	Tabl.0,0005; 0.4% amp. 1 and 2 ml;
15	Hydrocortisone acetate	Sol. 2,5% -1ml; 2 and 5ml in amp.; Ointment 1%-5; 10 and 14,0; Oftalmic ointment 0,5%-3,0; 1%-2,5 and 2,5%-2,5; Rectal ointment 1%-20,0 Rectal Supp. 0,025/0,03 Rectal Susp. 10%-15,0 Cream 0,1 %-30,0 and 1%-15,0 and 50,0 Emulsion (for topic use) 0,1%-30,0 in vials
16	Prednisolon	Tabl. 0,005; Sol. 0,3%-5 ml in amp. Powder - 0,025 in amp.; Rectal ointment 0,5%-10,0 and 15,0; Cream 0,1%-10,0 Ophtalmic Sol., ophtalmic gel, oftalmic ointment 0,5 % Rectal Sol. 2%-100 ml Supp. 0,01 and 0,2

		Syrop 0,3%-240 ml Sol.(for internal use) 0,3%-100 ml in vials
17	Dezoxicorticosteron acetat	Sol. 0,5/ 2,5%- 1 ml in amp.
18	Estradiol	Tabl. 0,00015;0, 0005 and 0,002; Transdermal emlasture 25/50/75/100 µg/24 h; Transdermal Spray 8,1 ml (1,5 mg/dose); Nazal spray 150 µg/dose Sol. 2%-5 ml/ 0,5%-1 ml in amp.; Gel 0,1%-50,0 and 0,06%-80,0; Cream 0,1%-30,0/50,0;
19	Hexestrol	Oily sol. 0,1 and 2 %-1 ml in amp.
20	Ethisterone	Tabl. 0,01;
21	Progesteron	Sol 1% / 2,5 %- 1 ml in amp.; Caps. 0,1 and 0,2; Gel 1%-40,0 and 80,0 Vaginal Gel 8%-1.125; Ovules 0,2/0,4; Vaginal Supp. 0,2; Vaginal Tabl. 0,1;
22	Methyltestosteron	Tabl. 0,01 and 0,025
23	Nadrolon	Sol. 2,5% and 5 %; 10% and 20%- 1 ml in amp.; Sol. 10% and 20%-10ml in vials;
24	Clomiphene citrat	Tabl. 0,025 and 0,05;
25	Cyproterone	Tabl. 0,025;0,05 Sol. 10%-3 ml in amp. (i/m);
26	Finasteride	Tabl./capsules 0,001 and 0,005
27	Dinoprostone	Tabl. 0,0005; Vaginal Tabl. 0,003 Vaginal Gel 0,03 %- 3,0; Endocervical and vaginal Gel 0,02% and 0,04%-2,5 ml; Sol. 0,05%- 1 ml in amp.;
28	Dinoprost	Sol. 0,5 %- 1/5 ml . in amp.; Sol. 0,5%- 30; 50 and 100 ml in vials.
29	Ergotamine	Tabl./dragee 0,001; Sol 0,05%-1 ml in amp.; Sol.0,1%-10 ml in vials;
30	Methylergometrine	Sol. 0,02 %- 1 ml in amp.; Sol.(for internal use) 0,25 %- 10 ml in vials; Tabl. 0,000125/ 0,0002
31	Fenoterol	Tabl. 0,005; Sol. 0,05 %- 10 ml in amp. ; Spray 10 ml (100 mcg/dose) Syrop 0,025%/0,05%-5ml; Sol. (for internal use) 0,5%-20 ml in vials;
32	Ritodrină	Tabl. 0.0001 and 0.0002

		Sol. 0.002% and 0.004% -1 ml in amp .; Nasal Spray 0.01% -2.5 / 5 ml;
33	Triziston	Drajee Nr.21