

**HORMONES AND THEIR ANTAGONISTS. CONTRACEPTIVES  
DRUGS AFFECTING THE TONUS AND CONTRACTIBILITY OF  
MYOMETRIUM.**

<b>Nr.</b>	<b>Drug's name</b>	<b>Medicinal forms</b>
<b>1</b>	<b>Calcitonine</b>	Powder 0,00025 and 0,0005 in amp.; Sol.in amp. 1 ml (50 and 100 IU); Nasal spray 50;100 and 200 IU
<b>2</b>	<b>Cyproterone</b>	Tabl. 0,01;0,05 and 0,1; Sol. 10%-3 ml in amp. (i/m);
<b>3</b>	<b>Clomiphene citrat</b>	Tabl. 0,025 and 0,05;
<b>4</b>	<b>Corticotropin</b>	Powder in vials. 10; 20; 30 and 40 AU (i/m); Gel for injection 400 IU/5ml(80IU/ml) i/m, s/c
<b>5</b>	<b>Desmopressine</b>	Tabl. 0,0001 and 0,0002 Sol. 0,002% and 0,004%-1 ml in amp.; Nazal Spray 0,01%-2,5/5 ml;
<b>6</b>	<b>Desoxycorticosterone acetate</b>	Sol. 0,5/ 2,5%- 1 ml in amp.
<b>7</b>	<b>Dinoprost</b>	Sol. 0,5 %- 1/5 ml . in amp.; Sol. 0,5%- 30; 50 and 100 ml in vials.
<b>8</b>	<b>Dinoprostone</b>	Tabl. 0,0005; Vaginal Tabl. 0,003 Vaginal Gel 0,03 %- 3,0; Endocervical and vaginal Gel 0,02% and 0,04%-2,5 ml; Sol. 0,05%- 1 ml in amp.;
<b>9</b>	<b>Ergotamine</b>	Tabl./dragee 0,001; Sol 0,05%-1 ml in amp.; Sol.0,1%-10 ml in vials;
<b>10</b>	<b>Estradiol</b>	Tabl. 0,00015;0, 0005 and 0,002; Transdermal emlasture 25/50/75/100 µg/24 h; Transdermal Spray 8,1 ml (1,5 mg/dose); Nazal spray 150 µg/dose Sol. 2%-5 ml/ 0,5%-1 ml in amp.; Gel 0,1%-50,0 and 0,06%-80,0; Cream 0,1%-30,0/50,0;
<b>11</b>	<b>Ethisterone</b>	Tabl. 0,01;
	<b>Fenoterol</b>	Tabl. 0,005; Sol. 0,05 %- 10 ml in amp. ; Spray 10 ml (100 mcg/dose) Syrup 0,025%/0,05%-5ml; Sol. (for internal use) 0,5%-20 ml in vials;
<b>12</b>	<b>Finasteride</b>	Tabl./capsules 0,001 and 0,005
<b>13</b>	<b>Glibenclamide</b>	Tabl. 0,0025;0,0035; 0,0075 and 0,005
<b>14</b>	<b>Glucagon</b>	Powder 0,001 in vials.
<b>15</b>	<b>Chorionic Gonadotropine</b>	Injectable sol. 0,05%-0,5ml Powder 500; 1000; 1500; 2000 and 10000 UA in vials
<b>16</b>	<b>Hexestrol</b>	Oily sol. 0,1 and 2 %-1 ml in amp.
<b>17</b>	<b>Hydrocortisone acetate</b>	Sol. 2,5% -1; 2 and 5ml in amp.; Ointment 1%-5; 10 and 14,0; Oftalmic ointment 0,5%-3,0; 1%-2,5 and 2,5%-2,5;

		Rectal ointment 1%-20,0 Rectal Supp. 0,025/0,03 Rectal Susp. 10%-15,0 Cream 0,1 %-30,0 and 1%-15,0 and 50,0 Emulsion (for topic use) 0,1%-30,0 in vials
<b>18</b>	<b>Insulin</b>	Sol. 5 and 10 ml (40UA/ml) in vials
<b>19</b>	<b>Levothyroxine</b>	Tabl. 0,00005; 0,000075 and 0,0001
<b>20</b>	<b>Liothironine</b>	Tabl. 0,000005 and 0,00005 Sol.0,001%-2 ml in amp.; Powder 0,00002 in vials;
<b>21</b>	<b>Metformin</b>	Tabl. 0,5; 0,85 and 1,0
<b>22</b>	<b>Methylergometrine</b>	Sol. 0,02 %- 1 ml in amp.; Sol.(for internal use) 0,25 %- 10 ml in vials; Tabl. 0,000125/ 0,0002
<b>23</b>	<b>Methyltestosterone</b>	Tabl. 0,01 and 0,025
<b>24</b>	<b>Nadrolon</b>	Sol. 2,5% and 5 %; 10% and 20%- 1 ml in amp.; Sol. 10% and 20%-10ml in vials;
<b>25</b>	<b>Oxytocin</b>	Sol. in amp. 1ml - 5AU/ml; 2ml -10 AU/ml Nasal spray 40IU; 50IU and 100IU/ml-10ml
<b>26</b>	<b>Parathyroidine</b>	Powder 0,000025 and 0,00005; 0,000075 and 0,0001 in amp.
<b>27</b>	<b>Prednisolon</b>	Tabl. 0,005; Sol. 0,3%-5 ml in amp. Powder - 0,025 in amp.; Rectal ointment 0,5%-10,0 and 15,0; Cream 0,1%-10,0 Ophtalmic Sol., ophtalmic gel, oftalmic ointment 0,5 % Rectal Sol. 2%-100 ml Supp. 0,01 and 0,2 Syrop 0,3%-240 ml Sol.(for internl use) 0,3%-100 ml in vials
<b>28</b>	<b>Progesteron</b>	Sol 1% / 2,5 %- 1 ml in amp.; Caps. 0,1 and 0,2; Gel 1%-40,0 and 80,0 Vaginal Gel 8%-1.125; Ovules 0,2/0,4; Vaginal Supp. 0,2; Vaginal Tabl. 0,1;
<b>29</b>	<b>Ritodrine</b>	Tabl. 0,01; Sol. in amp. 1%-5 ml;
<b>30</b>	<b>Thiamazol</b>	Tabl.0,005 and 0,01 Sol. 4%-1 ml in amp.;
<b>31</b>	<b>Triziston</b>	Dragee Nr.21